EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15324	709/203	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEPWENT; IBM_TDB	OR	OFF	2007/09/18 11:59
\$2	11419	709/217	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 11:59
\$3	4307	St and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 12:00
S4	11	((BRIAN) near2 (HULSE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 12:00
S5	6	((BRIAN) near2 (HULSE)).INV.	EPO; JPO; DERWENT	OR	OFF	2007/09/18 12:00
S6	1	((PHILIP) near2 (POWLEY)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 12:00
S7	2	((PHILIP) near2 (ROWLEY)).INV.	EPO; JPO; DERWENT	OR	OFF	2007/09/18 12:00
S8	54	((CHRISTOPHER) near2 (SHARP)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/18 12:00
S9	32	((CHRISTOPHER) near2 (SHARP)).INV.	EPO; JPO; DERWENT	OR	OFF	2007/09/18 12:00
S10	4149	S1 and S2 and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 12:09
S12	4	"2003061404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:16
S13	0	"2003061404A1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:16

S14	1	"2003061404 A1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:16
S15	2	*20030061404*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:18
S16	75	Web adj service\$1 adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:18
S17	13	S16 and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:21
S18	8	\$16 and (web adj client) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:33
S19	9719	(gateway or router) and (client or user) and ((web near5 service) or website) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:34
\$20	3336	S19 and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:34
S21	2264	S20 and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:36
S22	1493	S21 and document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 12:37
S23	283	S21 and document and 709/203	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:28

S24	96	S21 and document and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:37
S25	96	\$21 and document and WSDL and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:52
S26	0	profile\$1 document\$1 WSDL @ad< = "20040325" and (client or user) and (enabl\$3 or enter\$3 or access\$3) and (web adj servics\$1) and request\$3 and (gateway or router or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:55
S27	763	profile\$1 and document\$1 and @adc = "20040325" and (client or user) and (enabl\$3 or enter\$3 or access\$3) and (web adj servico\$1) and request\$3 and (gateway or router or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:55
S28	651	profile\$1 and document\$1 and @adc = "20040325" and (client or user) and (enabl\$3 or enter\$3 or access\$3) and (web adj servico\$1) and request\$3 and (gateway or router or hub) and inttp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:56
S29	110	profile\$1 and document\$1 and (@ad< = "20040325" and (client or user) and (enabl\$\$\sigma\$\$ and (enabl\$\$\sigma\$\$) and enabl\$\$\sigma\$\$ or excess\$\$3) and (web adj service\$\$1) and request\$3 and (gateway or router or hub) and inttp and wsdl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:56
S30	18	profile\$1 and document\$1 and (@ad< = "20040325" and (client or user) and (enabl\$\$\sigma\$\$ or access\$\$3) and (web adj service\$\$1\$) and request\$\$3 and (gateway or router or hub) and inttp and wsdl and (e-business)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/18 13:56
S31	2	b2b adj profile	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:17
S32	230	(access\$3 same (web adj service) same (gateway or router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:18
S33	15	(access\$3 same (web adj service) same (gateway or router)) and (\business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:18

S34	15	(access\$3 same (web adj service) same (gateway or router)) and (business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:29
S35	13	(access\$3 same (web adj service) same gateway) and (business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:44
S36	95517	(web adj service) neqar5 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:44
\$37	153	(web adj service) near5 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:51
S38	25855297	(web adj service) near5 gateway @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:52
S39	25855297	((web adj service) near5 gateway) @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:52
S40	64	((web adj service) near5 gateway) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:13
S41	20475	gateway and (profile or id) and ((web adj client) or user) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:15
S42	21870	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:16
S43	4744	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and @ad<="20040325" and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:20

S44	38	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and @ad<="20040325" and (auto adj generation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:22
S45	2	gateway near5 enable\$3 near5 client near5 (web adj service) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 14:13
S46	71	(gateway near5 enable\$3 near5 client) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:29
S47	3436455	(gateway near5 enable\$3 near5 client) and @ad< = "20040325" (profile or (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 15:30
S48	48	(gateway near5 enable\$3 near5 client) and @ad< = "20040325" and (profile or (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 08:07
S49	1032	UDDI and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 14:14
S50	25866484	UDDI and WSDL adn @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 14:14
S51	466	UDDI and WSDL and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 14:14
S52	200	UDDI and WSDL and @ad<="20040325" and (gateway or router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 14:32
S53	14	UDDI and WSDL and @adx = "20040325" and (gateway or router) and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 16:50

S54	22	UDDI and WSDL and @ad<="20040325" and (gateway or server) and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 16:50
S55	5368166	UDDI and WSDL and @ad<="20040325" and (gateway or server) and (web adj client) (enabl\$3 or access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 16:51
S56	22	UDDI and WSDL and @ad<= "20040325" and (gateway or server) and (web adj client) and (enabl \$3 or access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 17:10
\$57	2	"10549051"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 17:05
S58	22	UDDI and WSDL and @ad<= "20040325" and (gateway or server) and (web adj client) and (enabl \$3 or access\$3) and (creat\$3 or receiv \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 17:11
S59	21	UDDI and WSDL and @ad<="20040325" and (gateway or server) and (web ad) client) and (enabl \$3 or access\$3) and (creat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 17:11
S60	8223	profile and gateway and ellent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:15
S61	749	profile and gateway and client and (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:15
S62	598	profile and gateway and client and (web adj service) and document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:16
S63	180	profile and gateway and client and (web adj service) and document and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:16

S64	105	profile and gateway and client and (web adj service) and document and WSDL and UDDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:20
S65	47	profile and gateway and client and (web adj service) and document and WSDL and UDDI and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:42
S66	95	(receiv\$3 near5 (profile or (ID or identification))) and gateway and (web adj service) and document and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:43
S67	9849	web adj service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:13
S68	2085	(web adj service) and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:13
S69	220	(web adj service) and gateway and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:14
S70	148	(web adj service) and gateway and (web adj client) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 14:03
S71	471	(INTERNATIONAL BUSINESS MACHINES).as. and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/20 09:52
S72	175	(INTERNATIONAL BUSINESS MACHINES), as. and (web adj client) and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/20 09:53
S73	22	(INTERNATIONAL BUSINESS MACHINES), as. and (web adj client) and gateway and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/20 09:53

S74	1033	UDDI and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 14:32
S75	466	UDDI and WSDL and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:31
S76	305	UDDI and WSDL and @ad< = "20040325" and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:32
S77	147	(UDDI and WSDL and @adc = "20040325" and conver\$4) and (match or equal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:33
S78	27	(UDDI and WSDL and @adc = "20040325" and conver\$4) and (match or equal) same (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:43
S79	382	access adj web adj service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:43
S80	2	*20060155842**	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:41
S81	2	² 20050165655"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:42
S82	3	¹ 20050044197"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:44
S83	2	*20040185877*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:45

S84	2	*20040093580*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:46
S85	2	*20040083479*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:47
S86	2	"20030191802"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 11:48
S87	46	(trigger or activate or produce) and WSDL and UDDI and (match same request\$3) and convert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 10:26
S88	249	(trigger or activate or produce) and WSDL and UDDI and (third adj party)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 10:26
S89	102	(trigger or activate or produce) and WSDL and UDDI and (third adj party) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 10:54
S90	145	(trigger same request\$3) and (web adj service\$1) and (third adj party) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:39
S91	2	*20050198304*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 17:53
S92	9881	(web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 16:51
S93	2091	S92 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 16:51

S94	2331	S92 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:51
S95	996	S94 and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:52
S96	571	995 and (third adj party)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:52
S97	37	S96 and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:52
S98	23	\$97 and @ad<= "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:28
S99	152	(creat\$3 near3 document near3 profile) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:28
S100	2	*20050015439*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 17:53
S101	18	(gateway near5 enable\$3 near5 client) and @ad< = "20040325" and (profile)	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 08:12
S102	9830	(gateway) and @ad<="20040325" and (profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 08:13
S103	79	(gateway) and @ad<= "20040325" and (profile) and WSDL and XML and UDDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 08:13

S104	71024	(INTERNATIONAL BUSINESS MACHINES). as.	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 13:26
S105	357	@ad<="20040325" and ((web adj service\$1) same enabl\$3 same client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 14:30
S106	5302	(b2b or business-to-business)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 14:32
S107	222	((b2b or business-to-business) same conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 14:32
S108	163	((b2b or business-to-business) same conver\$4) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 15:33
S109	1	((b2b or business-to-business) same conver\$4 with wsdl) and @ad< = "20040325"	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 14:39
S110	0	((((b2b or business-to-business) same conver\$4) with wsdl) and @ad< = "20040325"	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 14:39
S111	6	((((b2b or business-to-business) same conver\$4) and wsdl) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02
S112	25860384	((b2b or business-to-business) same conver\$4) and wsdl @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 13:47
S113	25860382	((b2b or business-to-business) with conver\$4) and wsdl @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 15:33

S114	3	((b2b or business-to-business) with conver\$4) and wsdl and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 15:33
S115	6	((b2b or business-to-business) same conver\$4) and wsdl and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 15:54
S116	77	((b2b or business-to-business) and conver\$4) and (wsdl same (web adj service\$1)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 16:03
S117	35	((b2b or business-to-business) and conver\$4 and profile\$1) and (wsdl same (web adj service\$1)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 16:04
S118	46	((b2b or business-to-business) and profile) and protocol\$1 and wsdl and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:18
S119	141	(profile same creat\$3 same (document or WSDL)) and (communication near4 protocol\$1) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:36
\$120	1007	((profile or (communication near4 protoco(\$1)) same creat\$3 same (document or WSDL)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:37
5121	302	((profile or (communication near4 protoco(\$1)) with creat\$3 with (document or WSDL)) and @ad<= "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:20
S122	12	((communication near4 protocol\$1) with creat\$3 with (document or WSDL)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:38
S123	175	((communication near4 protocol\$1) same creat\$3 same (document\$1 or WSDL)) and (web adj service\$1) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:48

						;=================================
S124	1	((communication near4 protocol\$1) same creat\$3 same (document\$1 or WSDL)) and (web adj service\$1) and (web adj service adj gateway) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:48
S125	166	{(communication near4 protocol\$1) same creat\$3 same (document\$1 or WSDL)) and (web adj service\$1) and (gateway) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:51
S126	0	((business-to-business) same (access \$3 near2 web near2 service adj gateway)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:52
S127	0	((business-to-business) near10(access \$3 near2 web near2 service adj gateway)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:52
S128	0	((business-to-business) near10 (access \$3 near2 web near2 service adj gateway)) and @ad<= "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:52
S129	2	(b2bnear10 (access\$3 near2 web near2 service adj gateway)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:54
S130	0	(b2b near10 (access\$3 near2 web near2 service adj gateway)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:53
S131	1138	(b2bnear10 (access\$3 near2 web near2 service)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:55
S132	1	(b2b near10 (access\$3 near2 web near2 service)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:55
S133	3	(b2b same (access\$3 near2 web near2 service)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:55

S134	1138	((access\$3 near2 web near2 service)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:56
S135	19	((access\$3 near2 web near2 service) same (web adj client)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:58
S136	2	(creat\$3 same wsdl same profile) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 14:58
S137	3	(creat\$3 same wsdl same (communication adj protocols)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:13
S138	9	(creat\$3 same document same based same(communication adj protocols)) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:19
S139	17	(Web Services Interoperability) and @ad< = "20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/15 15:19
S140	2	(e-business) and (b2b with profile) and (b2b with service) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:37
S141	35	(e-business) and (profile same (web with service)) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:38
S142	2	² 20040088352*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 08:30
S143	118	(b2b or business-to-business)and wsdl and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:39

S144	2	"6247169".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/17 11:39
S145	2	"6757729".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/17 11:39
S146	2	"677221 6 ".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:41
S148	2	"20020120685"	US-PGPUB; USPAT; USOCR; FPRS; EPO; UPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/17 11:42
S149	2	"20020165872"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/17 11:43
S150	2	"20020188666"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:43
S151	2	*20040068586*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 08:09
S152	2	"2005174120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:36
S153	2	"20040068586"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:38
S154	2	*20040181537**	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:44

S155	2	"20040205144"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:45
S156	2	"20040068586"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:46
S157	2	"20040060057"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:47
S158	2	F20040117733"	US-PGPUB; USPAT; USOCR; FPRS; EPO; UPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:48
S159	2	"20040054969"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:48
S160	2	"20040006738"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:49
S161	2	"20030237052"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:49
S162	3	"20030163450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:49
S163	2	"2003280899"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:50
S164	2	"20030120730"	US-PGPUB; USPAT; USOCR; FFPS; EPO; UPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:51

S165	2	*20010037405*	US-PGPUB; USPAT; USOCR; FPHS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/30 16:51
S166	2	"20040255244"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:53
S167	2	"20040230566"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:54
S168	2	"20040205618"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30
S169	2	"20040167915"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:56
S170	3	"6732332"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 16:58
S171	2	"20030074271"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 17:34
S172	2	"20020171857"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 17:38
S173	2	"20020156813"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 17:40
S174	2	"20020120685".pn.	US-PGPUB; USPAT; USOCR; FPHS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 07:47

S175	2	"20030018666"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/31 10:45
S176	2	"20030120730"	US-PCPUB; USPAT; USOCR; FFRS; EPO; UPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/31 16:34
S177	2	"20010037405"	US-PCPUB; USPAT; USOCR; FFRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/10/31 16:43
S178	15680	709/203	US-PGPUB; USPAT; USOCR; FPRS; EPO; UPO; DEFWENT; IBM_TDB	OR	OFF	2007/11/01 11:52

^{11/14/2007 10:22:16} AM

C:\ Documents and Settings\ bnissan\ My Documents\ EAST\ Workspaces\ 10552393.wsp